

JIM CLARK & ASSOCIATES 405-833-0518

Jimclarkaircraft.com

2004 Citation CJ1 N814LG



- **Price:** Call
- **Hours:** 3,900
- **Manufacturer:** Cessna
- **Model:** Citation CJ1
- **Registration Number:** N814LG
- **Serial Number:** 525-0534
- **Year:** 2004
- **Location:** Bethany, OK (KPWA)

DESCRIPTION:

Featuring dual Garmin 530Ws, dual Garmin GTX 330 transponders with ADS-B Out, and TAP Blue engine program. RECENT paint and Interior!

Additional features include:

- GDL-69A Satellite Radio and Weather Receiver
- Belted lavatory
- Midwest U.S. based since September 2012
- GI 275 Standby Gyro

AIRFRAME:

3,900 Hours Total Time

INTERIOR:

Equipped with the most popular CJ1 interior configuration, N814LG accommodates up to 6 passengers via the forward side facing seat adjacent to the door, 4 place center club seating area, and belted lavatory.

EXTERIOR:

Overall Snow White with Black and Orange accent stripes.

ENGINES:

- Model: Williams FJ44-1A
- Thrust rating of 1,900 pounds each engine
- TAP Blue engine program w/ deferral (contact for details)

AVIONICS:

- Collins Pro Line 21 Avionics Suite
- 2 Display EFIS
- Collins Flight Director & Autopilot
- Dual Garmin GPS 530AW w/ WAAS Capability
- Dual Garmin 530AW Communication Transceivers and Navigation Receivers
- Dual Garmin GTX 330 Transponders w/ ADS-B Out
- GDL-69A Satellite Radio System
- Single Universal UNS-1L FMS
- Dual Collins AHC-3000 AHRS
- Single Collins ADS-3000 Air Data Computer
- Single Honeywell DME
- Single Honeywell ADF
- Collins RTA-800 Weather Radar
- Honeywell Mark VIII EGPWS
- SkyWatch HP TCAS-I
- Standby Attitude Indicator
- Standby Altitude / Airspeed Indicator
- Standby Horizontal Situation Indicator
- Collins ALT-55B Rad Altimeter
- Artex C406-2 Emergency Locator Transmitter
- L3 Cockpit Voice Recorder Provisions
- 50 cu. ft. Oxygen Bottle

ADDITIONAL EQUIPMENT:

- Crew Oxygen Masks
- Two 110v Outlets Located in Club Seating Area
- HF Provisions
- Snow Ski Compartment
- RVSM Compliant
- Maintenance Tracking

All Specifications Subject to Verification Upon Inspection.



















